

## INSTITUTION

Rue de Précy  
60340 Villers-Sous-Saint-Leu  
France

## PATIENT

auto\_patientYebbxdfjrj auto\_patientYkafclban  
Date of Birth: 12/01/2000  
Gender: Female  
Patient code: 098392

## FIBROSCAN READINGS


VCTE liver examination date: 05/29/2026

**CAP = 235 dB/m**


**E = 7.5 kPa**

## RESULTS

## STEATOSIS GRADE



## FIBROSIS STAGE



## REFERENCE PUBLICATIONS

The results displayed above are based on the following publication(s)

Etiology: MASH or MASLD

Rinella, Hepatology (2023), PMID: 36727674

Classification: Youden's index

Duarte-Rojo, Hepatology (2025), PMID: 38489521

Classification: Youden's index

## PRECAUTIONS FOR USE

The VCTE examination with FibroScan® device should be performed according to the manufacturer recommendations and fulfill good quality criteria. The software is not intended as a primary diagnostic tool by physicians or to be used as a substitute for professional healthcare advice. Each user is responsible for ensuring compliance with applicable international, national, and local clinical regulations and other specific accreditations requirements. The results obtained must be interpreted by a physician experienced in dealing with liver disease, taking into account the complete medical records of the patient.